



Analytic Video Tracker
For Axis Network Cameras
List of compatible equipment

Copyright © 2014 Institute of Digital and Optical Technologies B. V.

All rights reserved

INFORMATION AND LIABILITY

The content of the document is for information purposes only.

While the information in this document is thought to be accurate on the date it is posted, it is provided on an “as is” basis and without warranty of any kind, either express or implied. Institute of Digital and Optical Technologies B. V., its agents, employees or contractors will not be liable to you for any loss or damages of any nature arising out of your use of information provided in this document.

Please contact Axis Communications AB. (www.axis.com) to get the latest information regarding availability of equipment based on ARTPEC-3 and ARTPEC-4 architectures.

Product	CPU, video processing and compression	Memory resources	Product family
AXIS M1054	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A2-CAM
AXIS M1103	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A2-CAM
AXIS M1104	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A2-CAM
AXIS M1113	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A2-CAM
AXIS M1113-E	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A2-CAM
AXIS M1114	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A2-CAM
AXIS M1114-E	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A2-CAM
AXIS M2014-E	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A3-CAM

Product	CPU, video processing and compression	Memory resources	Product family
AXIS M3006-V	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B2-CAM
AXIS M3007-P	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B2-CAM
AXIS M3007-PV	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B2-CAM
AXIS M3014	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A2-CAM
AXIS M3026-VE	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B2-CAM
AXIS M3113-R	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A2-CAM
AXIS M3113-VE	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A2-CAM
AXIS M3114-R	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A2-CAM

Product	CPU, video processing and compression	Memory resources	Product family
AXIS M3114-VE	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A2-CAM
AXIS M3203	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A1-CAM
AXIS M3203-V	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A1-CAM
AXIS M3204	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A1-CAM
AXIS M3204-V	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A1-CAM
AXIS M5013	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS M5013-V	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS M5014	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ

Product	CPU, video processing and compression	Memory resources	Product family
AXIS M5014-V	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS M7001	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 64 MB RAM	A1-ENC
AXIS M7010	ARTPEC-4 x 4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash x 4, 512 MB RAM x 4	N/A
AXIS M7014	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	N/A
AXIS M7016	ARTPEC-4 x 4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash x 4, 512 MB RAM x 4	N/A
AXIS P1204	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A3-CAM
AXIS P1214	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A3-CAM
AXIS P1214-E	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A3-CAM

Product	CPU, video processing and compression	Memory resources	Product family
AXIS P1353	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P1353-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P1354	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P1354-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P1355	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P1355-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P1357	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P1357-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM

Product	CPU, video processing and compression	Memory resources	Product family
AXIS P3301	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-CAM
AXIS P3301-V	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-CAM
AXIS P3304	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-CAM
AXIS P3304-V	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-CAM
AXIS P3346	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A3-CAM
AXIS P3346-V	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A3-CAM
AXIS P3346-VE	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A3-CAM
AXIS P3353	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM

Product	CPU, video processing and compression	Memory resources	Product family
AXIS P3354	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3363-V	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3363-VE	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3364-LV	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3364-LVE	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3364-V	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3364-VE	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3367-V	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B1-CAM

Product	CPU, video processing and compression	Memory resources	Product family
AXIS P3367-VE	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B1-CAM
AXIS P3384-V	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3384-VE	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P5414-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B2-PTZ
AXIS P5415-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B2-PTZ
AXIS P5512	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS P5512-E	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS P5522	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ

Product	CPU, video processing and compression	Memory resources	Product family
AXIS P5522-E	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS P5532	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS P5532-E	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS P5534	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS P5534-E	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS P5544	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS P7210	ARTPEC-4 x 4 H.264 Baseline and Main Profile, Motion JPEG	128 x 4 MB Flash, 512 x 4 MB RAM	N/A
AXIS P7214	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	N/A

Product	CPU, video processing and compression	Memory resources	Product family
AXIS P7216	ARTPEC-4 x 4 H.264 Baseline and Main Profile, Motion JPEG	128 x 4 MB Flash, 512 x 4 MB RAM	N/A
AXIS P7224 Blade	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	N/A
AXIS P8513	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	B1-CAM
AXIS P8514	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	B1-CAM
AXIS Q1602	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS Q1602-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS Q1604	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS Q1604-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM

Product	CPU, video processing and compression	Memory resources	Product family
AXIS Q1614	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS Q1614-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS Q1755	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A3-CAM
AXIS Q1755-E	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A3-CAM
AXIS Q1765-LE	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS Q1910	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A1-CAM
AXIS Q1910-E	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A1-CAM
AXIS Q1921	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A1-CAM

Product	CPU, video processing and compression	Memory resources	Product family
AXIS Q1921-E	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A1-CAM
AXIS Q1922	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A2-CAM
AXIS Q1922-E	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A2-CAM
AXIS Q1931-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS Q6032	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS Q6032-C	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS Q6032-E	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS Q6034	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ

Product	CPU, video processing and compression	Memory resources	Product family
AXIS Q6034-C	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS Q6034-E	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS Q6035	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS Q6035-C	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS Q6035-E	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS Q6042-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B3-PTZ
AXIS Q6042-C	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B3-PTZ
AXIS Q6042-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B3-PTZ

Product	CPU, video processing and compression	Memory resources	Product family
AXIS Q6044	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B3-PTZ
AXIS Q6044-C	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B3-PTZ
AXIS Q6044-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B3-PTZ
AXIS Q6045	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B3-PTZ
AXIS Q6045-C	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B3-PTZ
AXIS Q6045-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B3-PTZ
AXIS Q7401	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A1-ENC
AXIS Q7404	ARTPEC-3 x 4 H.264 Baseline Profile, Motion JPEG	128 x 4 MB Flash, 128 x 4 MB RAM	A1-ENC

Product	CPU, video processing and compression	Memory resources	Product family
AXIS Q7406 Blade	ARTPEC-3 x 6 H.264 Baseline Profile, Motion JPEG	128 x 6 MB Flash, 128 x 6 MB RAM	A1-ENC
AXIS Q7411	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B2-ENC
AXIS Q7414 Blade	ARTPEC-3 x 4 H.264 Baseline Profile, Motion JPEG	128 x 4 MB Flash, 256 x 4 MB RAM	B2-ENC
AXIS Q7424-R	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B1-ENC

CONTACT US



Support: support@analyticvideo.com

Licensing: bizdev@analyticvideo.com

Web: www.AnalyticVideo.com

i.Dot

Headquarters

Institute of Digital and Optical Technologies B. V.

Postal address: De Lairessestraat 160-C, 1075 HM
Amsterdam, the Netherlands

Fax: +31.20-8908634

E-mail: bizdev@idotbv.nl

Web: www.idotbv.nl

Copyright © 2014 Institute of Digital and Optical Technologies B. V. All rights reserved.

This guide is for informational purposes only. No warranties, express, implied or statutory, as to the information in this document. Complying with all applicable copyright laws is the responsibility of the user. Without limiting the rights under copyright, no part of this document may be reproduced, stored in or introduced into a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), or for any purpose, without the express written permission of Institute of Digital and Optical Technologies B. V.